19. T. G. Ramaswamy, B.Sc., Tulasivanam Hostel, Balepet, Bangalore City.
20. K. Ramaswamiengar, B.Sc., care of Mr. K. Ramaswamiengar, Sub-Assistant Surgeon, Hunsur.
21. M. S. Nanjundiah, B.Sc., No. 31, First Main Road, Seshadripuram, P. O. Malleswaram.

By Order,
K. THIPPERUDRIAH,
Secretary,
Central Recruitment Board.

OFFICE OF THE SECRETARY, CENTRAL RECRUITMENT BOARD, BANGALORE.

Notification No. 5867—*C. R. B., dated* 25*th April* 1939.

Applications are hereby invited from candidates of the Backward Communities only, for consideration in connection with the issue of 'B' lists for making temporary interim appointments against Class I vacancies, in the offices of (1) The Comptroller to Government, and (2) The Inspector-General of Police in Mysore, Bangalore, pending availability of graduates.

2. Candidates must be Mysoreans by birth or domicile. When an applicant claims to be a domiciled Mysorean, a certificate from a Gazetted Officer of the Mysore Service showing the grounds for the claim of domicile should be enclosed.

3. *Qualifications.*—The applicants should have passed at least the "Intermediate" Examination of the Mysore University or any other equivalent examination.

4. *Age limit.*—The maximum age for entry into service will be 28 years.

5. Intending candidates should submit their applications, in duplicate, in the prescribed form together with copies of testimonials, etc., so as to reach the undersigned on or before 11th May 1939.

6. No notice will be taken of applications that are not in response to this Notification or are received after the due date or are not submitted in the prescribed form or do not furnish all the particulars required in the various columns of the application form.

By Order,
H. NIRANJAN RAJ URS,
Secretary,
Central Recruitment Board.

MISCELLANEOUS DEPARTMENTS.

OFFICE OF THE MUZRAI COMMISSIONER IN MYSORE, BANGALORE.

Notification dated 20*th April* 1939.

Notice is hereby given that sealed tenders will be received at the Office of the Muzrai Commissioner in Mysore, Bangalore, and the Office of the Peshkar, Mysore State Charities, Tirupathi, up to 25th May 1939, for "effecting improvements to the Office of the Peshkar, Mysore State Charities, Lower Tirupati." An approximate abstract estimate of quantities is given below. The quantities are not guaranteed. The work should be completed by the end of August 1939.

2. The plans and detailed estimate may be seen at the Office of the Muzrai Commissioner in Mysore, Bangalore, between the hours of 11 A.M. and 5 P.M. on office days.

3. The tenders should be submitted on printed forms which may be obtained from the Office of the Muzrai Commissioner in Mysore, Bangalore, or, on the printed forms in Telugu translation obtained from the Peshkar, Mysore State Charities, Tirupati. They should be accompanied by a statement in the form given below (in English or Telugu) showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rs. 180 (Rupees one hundred and eighty only) in cash or Government Promissory Notes as earnest money, and be superscribed "Tender for effecting improvements to the Office of the Peshkar, Mysore State Charities, Lower Tirupati," failing which it will be rejected. The amount may be paid at the Office of the Muzrai Commissioner in Mysore, Bangalore, or at the Office of the Peshkar, Mysore State Charities, Tirupati, and the receipt obtained sent with the tender.

5. The final acceptance of any tender will rest with the Muzrai Commissioner in Mysore, who does not bind himself to accept the lowest or any tender, or to assign any reason, whatever, for the rejection of any tender.

6. The successful competitor will be required to execute the usual contract bond within eight days of the acceptance of the tender, in default of which his tender will be considered cancelled and his earnest money forefeited.

7. The name of the successful competitor whose tender has been accepted will be posted on the Notice Board of the Office of the Muzrai Commissioner in Mysore, Bangalore, and the Office of the Peshkar, Mysore State Charities at Tirupati. No enquiry regarding the acceptance or rejection of any tender will receive any attention.

8. The earnest money on the rejected tenders will be returned.

9. Rates, once tendered, will not be enhanced on any account.

10. Rates for non-tendered and non-estimated items will be as per rates to be fixed by the Muzrai Commissioner in Mysore, after working out data with not more than ten per cent for contractor's profit.

11. In all matters not specifically provided for and in all matters of dispute about rates, quantites, measurements, quality of works, etc,, and in all disputes of any kind, the decision of the Muzrai Commissioner in Mysore will be final and legally binding.

12. Quotations must given in words as well as in figures. and they must be in the specific term of unit shown against each item of work. Quotations given in any other manner will not be accepted.

Approximate abstract of estimate for effecting improvements to the Office of the Peshkar, Mysore State Charities, Lower Tirupati.

Particulars	Per	Rate	Quantity	Rate to be quoted	
				In words	In figures
		Rs. a. p.			Rs.
1. Dismantling and removing the old existing wooden staircase	L.S.	5 0 0			
2. Do the existing Bengal terrace including removing the joists, etc., and carting debris outside the town	Sqr.	9 0 0	2.08		
3. Do the existing compound wall and removing debris	C.ft.	0 0 4	360		
4. (*a*) Do pials and teakwood pillars ..	L.S.	5 0 0			
(*b*) Removing debris outside the town, etc. ..	,,	6 0 0			
5. Dismantling of wall at left side	C.ft.	0 0 4	180		
(*a*) Removing debris outside the town, etc.	L.S.	3 0 0			
6. Dismantling the terrace over the room and removing the debris outside the town, etc., complete	,,	10 0 0			
7. Do the existing stone masonry foundation in the staircase room ..	,,	15 0 0			
New Construction.					
1. Earthwork excavating foundations and filling in basement including watering and consolidation	1,000 C.ft.	5 0 0	1,105 C.ft.		
2. Stone jelly concrete in lime mortar 1 : 2 : 4 including tamping in layers of not more than 6″ thick for foundations	100 C.ft.	19 0 0	221 C.ft.		
3. Burnt size stone in lime mortar with bond stones 6′ apart for foundations	100 C.ft.	23 0 0	729 C.ft.		
4. Superstructure burnt brick in lime mortar 1 : 2	100 C.ft.	24 0 0	402 C.ft.		
5. Burnt stone slabs 6″ thick for basement with one line dressing on all faces, and also for sills and lintels	S.ft.	0 6 0	S.ft. 249		
6. Burnt brick in cement mortar 1 : 2 pillars 1½′ square and 12¼′ high with two line dressed stone base and capital 6″ thick including lime mortar plastering, white-washing, etc., complete	Each	15 0 0	5		
7. Partition wall with burnt brick in cement with hoop-iron or other wall reinforcement in every third course 4½″ thick including plastering and white-washing	S.ft.	0 7 0	58		
8. Plastering with chunam mortar, two coats, for walls including rounding off all corners (convex corners being of cement mortar 1 : 4 for a width of 3″ both sides.) ..	Sqr.	4 0 0	8.05		
9. White or colour washing, two coats	Sqr.	0 4 0	10		
10. Tested rolled steel girders, as per B.S.S., including lifting, hoisting and boxing with cement mortar and terrace brick, reinforced with steel-tex tied from above with one coat of anti-corrosive painting and fixing girder with cement concrete on walls.	Cwt.	15 0 0	7½		

Particulars	Per	Rate	Quantity	Rate to be quoted	
				In words	In figures.
		Rs. a. p.			Rs.
11. Roofing with reinforced concrete 1 : 2 : 4 (thickness of cement concrete 4¾″) to take a super-load of 110 lbs. with an extra granolithic floor-finish of 1½″ on top with surfacing of ⅜″ thick red cement and with ironite or carborundum (2½ lb. per sqr.) cut to design of tiles and with expansion joints wherever necessary and laid to gentle slope with ceiling plastered with finely-ground lime mortar mixed with cement, as per design with coving and off-sets	Sqr.	75 0 0	2.91		
12. Skirting of 1″ thick cement concrete 1 : 2 : 4 with topping of ¼″ red cement and 9″ high for interior walls, as per design	R.ft.	0 10 0	65		
13. R.C.C. chajja 3″ thick, 3′ wide with anchorage into the wall 1 ft.	S.ft.	0 12 0	176		
14. Supplying and fixing teakwood panelled doors with frames 3″×5″ with 1½″ thick shutters including hinges, bolts, hasps, etc., and painting with best Shalimar Paint, two coats, etc., complete	,,	1 14 0	54		
15. Supplying and fixing Show Windows with plate glass ¼″ thick, with frame 3″×5″ teakwood scantlings, fixed in wooden beading including 'Durex' varnish, etc., complete	,,	4 0 0	170		
16. Supplying and fixing teakwood staircase; width of steps 4″, including ceiling with ¾″ thick planks, etc., complete with Durex varnish, two coats for ceiling, etc., complete ..	L. S.	100 0 0			
17. Supplying and fixing teakwood panelled windows with frames 3″×5″ with 1″ thick shutters in 4 halves including ¾″ iron bars, best Shalimar painting, two coats, etc., complete	S.ft.	1 14 0	32		
18. Supplying and fixing R.C.C. Louvres ..	,,	0 12 0	91		
19. Do ornamental wrought iron railings as per design over the low compound wall including best green Shalimar painting, two coats, etc., complete	R.ft.	2 0 0	70		
20. Paving with old Kadapa slabs in front of Show Rooms including cement pointing ..	Sqr.	4 0 0	4		
Improvements—(First Floor).					
1. Burnt brick in lime mortar	100 C.ft.	25 0 0	203 C.ft.		
2. Burnt stone slabs 6″ thick one line dressed on all faces	S.ft.	0 6 3	85 S.ft.		
3. Burnt brick in lime mortar 1 : 2 pillars 1½′ square 9′ high with two line dressed stone slab for cap and base 6″ thick including lime mortar plastering two coats, whitewashing, etc., complete	Each	9 0 0	5		
4. Plastering with chunam mortar, two coats including rounding off all corners (convex corners being of cement mortar 1 : 4) for a width of 3″ both sides	Sqr.	4 0 0	5.75		
5. White or colour washing, two coats ..	,,	0 4 0	5.75		
6. Tested rolled steel girders as per B.S.S. including lifting and hoisting and boxing with cement mortar and terraced brick, reinforced with galvanised steel-tex-tied from above with one coat of anti-corrosive painting and fixing girder with cement concrete on wall	Cwt.	16 0 0	7½		

Particulars	Per	Rate	Quantity	Rate to be quoted	
				In words	In figures
		Rs. a. p.			Rs.
7. Roofing with reinforced cement concrete 1 : 2 : 4 to take a super load of 80 lb. with ceiling plastered as per design with coving and offset	C.ft.	1 4 0	119		
8. Putting Surki concrete 3″ thick average, and two coats of flat tiles with proper slopes and lime mortar plastering, etc., complete	Sqr.	15 0 0	3.38		
9. R.C.C. Chajja 3″ thick, 3′ wide with anchorage 1 ft. into the wall	S.ft.	0 12 0	176		
10. Supplying and fixing teakwood panelled windows with frames 3″×5″ with 1¼″ thick shutters in 4 halves including ¾″ iron bars and usual brass fittings, best Shalimar Painting, two coats, etc., complete ..	S.ft.	1 14 0	20		
11. Fixing old windows in wall	2	2 0 0			
12. Removing two windows	2	1 0 0			
13. Supplying and fixing teakwood ornamental railings 2½′ high	R.ft.	2 0 0	34		
14. Plain parapet wall 9″ thick, 1½×2′ high as per design including plastering with chunam mortar and whitewashing, etc., complete ..	,,	1 8 0	60		
Opening out a Sky Light.					
1. Dismantling terrace for sky light and removing debris outside the town	L. S.	4 0 0			
2. Constructing brick in mortar pillars ..	C.ft.	0 4 0	27		
3. Supplying and fixing glazed windows for sky lights	S.ft.	1 8 0	17		
4. Plastering with lime mortar two coats ..	Sqr.	4 0 0	1		
5. Roofing with R.C.C. 3″ thick over sky light ..	Sqr.	40 0 0	½		

S. ABDUL WAJID,
Muzrai Commissioner.

INDIAN POSTS AND TELEGRAPHS DEPARTMENT.

OFFICE OF THE SUPERINTENDENT OF POST OFFICES, BANGALORE DIVISION.

Abstract Notification No. G. 39—2, *dated Bangalore, 20th April* 1939.

CALL FOR TENDERS FOR THE TIPTUR-NAVILE AND TIPTUR-NONVINKERE MOTOR MAIL CONTRACTS.

Attention is invited to the detailed notification appearing on pages 727 and 728 of Part VI of the *Mysore Gazette*, dated the 13th April 1939. The last date for tenders is 1st May 1939.

M. A. HAMID KHAN,
Superintendent of Post Offices,
Bangalore Division.

GOVERNMENT OF MYSORE—ELECTRICAL DEPARTMENT.

OFFICE OF THE SUPERINTENDENT, POWER AND LIGHT, KOLAR GOLD FIELDS.

Notification dated 25th April 1939.

Notice is hereby given that sealed tenders will be received from Licensed Electrical Contractors at the Office of the Superintendent, Power and Light, Kolar Gold Fields, up to 3-0 P.M. on 15th May 1939, for the electrification of Railway Station and Platform at Kolar.

The quantities are not guaranteed. The work should be completed before the 30th May 1939.

2. The place and conditions may be ascertained from the Assistant Superintendent of Rural Areas, Kolar.